



OCONEE COUNTY COMMUNITY DEVELOPMENT

Addressing | Codes | Permitting | Planning & Zoning

IECC Contractor Compliance Form

Property Address	
City/Zip	
Builder/Contractor	
Address	
Phone Number	

_____ **New Construction**

_____ **Remodel Description (See attachment)**

I hereby certify that the above project will meet or exceed the minimum requirements of the 2009 IECC by utilizing the following measures:

2009 IECC Zone 3	Project Specifications
Windows $U \leq 0.50$	
Windows SHGC ≤ 0.30	
Skylights $U \leq 0.65$	
Skylights SHGC ≤ 0.30	
Doors: 1 door ≤ 24 SQ Ft Exempt	
Ceiling Insulation R-30	
Wall Insulation R-13	
Floor Insulation R-19 or Crawlspace R-5 continuous/ R-13 Cavity	
HVAC Efficiency Rating	
HVAC sized in accordance with ACCA Manual J	
Heat pumps have adaptive recovery thermostats	
Duct Insulation R-8 in unconditioned space and R-6 in floor trusses	
Return from enclosed room must meet ACCA Manual D	
Sealed and tested by third party testing (list party)	
according to inspection Table 402.4.2 (DUCT BLASTER)	
Building Envelope-air sealing (BLOWER DOOR) or Visual inspection option	
Recessed Cans-IC air tight (ICAT)	
Pipes carrying fluids above 105 degrees Fahrenheit insulated to R-3	
50% of lamps must be high-efficient	

Note: The above meets the prescriptive (402.1, 402.3, 403.2.1, 404.1) and mandatory (401, 402.4, 402.5, 403.1, 403.2.2, 403.2.3, 403.3-403.9) requirements of the code. If any project specification does not meet the minimum IECC requirements, then a RESCheck or other approved simulation (ENERGY STAR, etc.) must be performed and submitted with the permit application. (RESCheck is a free program offered by the U.S. Dept. of Energy, energy.gov)

Signature

Date